# **VAGUS NEET ACADEMY, TUMKUR**


# **BIOLOGY KCET 2020 (VERSION CODE D-4) KEY**

1. Injection of an antidote against snakebite is an example of

	(A) Auto immunity  Ans (D)	(B) Innate immunity	(C) Active immunity	(D) Passive immunity			
2.	Certain tumours are called (A) They are not neoplastic (B) They are confined to sp (C) They invade and dama; (D) They show contact inh (Ans (C)	e. pecific locations. ge surrounding tissues.					
3.	The transport of which neu	rotransmitter is interfere	d by cocaine?				
	(A) Dopamine Ans (A)	(B) Acetylcholine	(C) Serotonin	(D) GABA			
4.	In the life cycle of plasmoo	lium, fertilization takes p	place in				
	(A) Liver cells		(B) Salivary glands of	mosquito			
	(C) RBCs of humans		(D) Stomach of mosqu	ito			
	Ans (D)						
5.	White rust resistant variety	White rust resistant variety of Brassica is					
	(A) Pusa Komal	(B) Pusa Sadabahar	(C) Pusa Swarnim	(D) Pusa Shubhra			
	Ans (C)						
6.	Which of the following pla	ant tissues cannot be used	l as explant in tissue culti	ure?			
	(A) Collenchyma	(B) Meristem	(C) Parenchyma	(D) Sclerenchyma			
	Ans (D)						
7.	7. The hybridization between naturally incompatible plants like Potato and Tomato can be achieved through						
	(A) Mutation breeding		(B) Artificial pollination	on			
	(C) Somatic hybridization		(D) Conventional breeding				
	Ans (C)						
8.	A chilly plant was severely	y infected with Chilly M	Iosaic Virus (CMV). Ide	ntify the technique that helps			
	to raise virus free plants in	the next generation from	the above virus infected	l plant.			
	(A) Hydroponics		(B) Artificial hybridiza	ntion			
	(C) Meristem culture  Ans (C)		(D) Self pollination				
9. In sewage treatment, secondary treatment is considered highly significant, because							
	(A) It increases the organic	content of sewage.	(B) It helps to remove	debris from the sewage.			
	(C) It reduces the BOD lev Ans (C)	el of sewage.	(D) It helps in the prod	luction of biogas.			

	. Ruminant animals can digest cellulose in their food, where as human beings are unable to do so. This i because					
(A	) Methanogens are absent in human gut.	(B) Methanogens are present in human gut.				
(C	() Cellulose is a complex sugar.	(D) Cellulose reduces the bulk of food.				
Aı	ns (A)					
	om the given combinations of steps in PCR, identi					
	) Extension only	(B) Annealing and extension				
	() Annealing and denaturation	(D) Denaturation and extension				
Aı	ns (A)					
	olistics method is suitable for gene transfer into					
	A) Plant cells (B) Viruses	(C) Animal cells (D) Bacteria				
	ns (A)					
13. Id	entify the labels M and N in the following Agarose	e gel electrophoresis representation.				
	Wells 7					
	00001111					
	M					
(A	A) M - Smallest DNA bands, N - Largest DNA ban	N ds				
•	M - Digested DNA bands, N - Undigested DNA					
	(2) M - Hybridized DNA bands, N - Unhybridized I					
	) M - Largest DNA bands, N - Smallest DNA ban					
Aı	ns (D)					
14. In	RNA interface, the dsRNA molecule prevents	<u> </u>				
(A	a) aminoacylation					
(B	transcription of mRNA					
(C	transport of RNA from nucleus to cytoplasm					
(D	(D) translation of mRNA					
Aı	ns (D)					
15. No	ow-a-days, the early diagnosis of bacterial or viral	infection in humans is possible using				
(A	A) CT Scan (B) Serum analyzer	(C) DNA sequencer (D) PCR				
Aı	ns (D)					
16. W	hich of the following features of plants is not help	ful in adapting to desert life?				
(A	A) Absence of trichomes on leaf surface	(B) Presence of thick cuticle on the leaf surface				
(C	() Leaves modified into spines	(D) Presence of sunken stomata				
Ans (A)						
17. In	7. In the following equation of Verhulst-Pearl logistic growth, the letter 'r' denotes $\frac{dN}{dN} = rN \left( \frac{K_K N}{N} \right)$					
(A	Population density	(B) Extrinsic rate of natural increase				
(C	) Intrinsic rate of natural increase	(D) Carrying capacity				
Aı	ns (C)					

18. The shape of the pyramids reflects the growth status of the population. Identify the type of age pyramid represented below for human population.



- (A) Declining
- (B) Ascending
- (C) Expanding
- (D) Stable

### Ans (A)

19. Identify the possible link 'M' in the following food chain:

 $Plant \rightarrow Insect \rightarrow M \rightarrow Snake \rightarrow Eagle$ 

- (A) Ichthyophis
- (B) Rabbit
- (C) Wolf
- (D) Frog

#### Ans (D)

- 20. The organisms which invade a bare area to initiate an ecological succession are known as
  - (A) Pioneer species

(B) Key stone species

(C) Climatic species

(D) Endemic species

#### Ans (A)

- 21. Which one of the following is not included under *in-situ* conservation?
  - (A) Biosphere Reserve

(B) National Park

(C) Sanctuary

(D) Botanical Garden

#### Ans (D)

- 22. Which one of the following is a wrong statement?
  - (A) Ozone in upper part of the atmosphere is harmful to animals.
  - (B) Most of the forests have been lost in tropical areas.
  - (C) Green house effect is a natural phenomenon.
  - (D) Eutrophication is a natural phenomenon in fresh water lakes.

#### Ans (A)

- 23. According to Supreme Court of India, ruling with respect to 'Bharat Stage VI' Norms, from which date, these are supposed to be implemented in the country?
  - (A) 10<sup>th</sup> December, 2020

(B) 1<sup>st</sup> April, 2020

(C) 1<sup>st</sup> June, 2021

(D) 1<sup>st</sup> January, 2021

### Ans (B)

24. Match the following classes of Fungi (Column-I) with the examples (Column-II).

	Column I		Column II
(1)	Phycomycetes	(p)	Penicillium
(2)	Ascomycetes	(q)	Alternaria
(3)	Basidiomycetes	(r)	Albugo
(4)	Deuteromycetes	(s)	Puccinia

Choose the correct option:

$$(A) (1) - (r), (2) - (p), (3) - (s), (4) - (q)$$


(B) 
$$(1)$$
 -  $(p)$ ,  $(2)$  -  $(s)$ ,  $(3)$  -  $(r)$ ,  $(4)$  -  $(q)$ 

$$(C)(1) - (q), (2) - (p), (3) - (s), (4) - (r)$$

(D) 
$$(1) - (r)$$
,  $(2) - (p)$ ,  $(3) - (q)$ ,  $(4) - (s)$ 

Ans (A)


25. Observe the following simplified scheme and choose the correct option that matches with the letters given in the boxes.



- (A) p Agnatha, q Gnathostomata, r Tetrapoda, s Pisces
- (B) p Agnatha, q Gnathostomata, r Pisces, s Tetrapoda
- (C) p Gnathostomata, q Agnatha, r Tetrapoda, s Pisces
- (D) p Tetrapoda, q Pisces, r Gnathostomata, s Agnatha

Ans (B)

26. Identify the floral unit 'I' in the given floral diagram.




- (A) Perianth
- (B) Sepal
- (C) Petal
- (D) Tepal

Ans (D)

- 27. A student observes grass and Hibiscus plants in his garden during noon. To his surprise, only the leaves of grass were found rolled inwards. The reason could be
  - (A) Due to higher rate of transpiration
  - (B) Presence of more number of stomata on the grass leaves.
  - (C) Undifferentiated mesophyll in grass leaves.
  - (D) Presence of Bulliform cells in the grass leaves.

Ans (D)

28. In the below diagram, identify the part which connects the peripheral microtubules to the central sheath.



(A) Radial spoke

(B) Plasma membrane

(C) Interdoublet bridge

(D) Central microtubule

Ans (A)

## Vagus NEET Academy

29.	The element whose percentage weight is highest in both earth's crust and human body is					
	(A) Calcium	(B) Hydrogen	(C) Carbon		Oxygen	
	Ans (D)					
30.	Identify the event in meiosis mediated by the enzyme recombinase.					
	(A) Interkinesis	(B) Synaptic pairi	ng (C) Terminal	ization	(D) Crossing Over	
	Ans (D)					

31. The deficiency of which of these elements interrupts photolysis of water during photosynthesis?

(A) N and P

(B) Mn and Cl

(C) Zn and Cu

(D) Ca and K

Ans (B)

32. In C<sub>4</sub> plants, C<sub>3</sub> cycle takes place in

(A) Bundle sheath cells

(B) Mesophyll cells

(C) Bulliform cells

(D) Companion cells

Ans (A)

33. During Citric Acid cycle, the various organic acid undergo decarboxylation. Which of the following organic acids of the above cycle have 4C, 5C and 6C respectively?

(A) Pyruvic acid, α-Ketogluetaric acid and Cirtic acid

(B) Oxaloacetic acid, Citric acid and Succinic acid

(C) Succinic acid,  $\alpha$ -Ketoglutaric acid and citric acid.

(D) Pyruvic acid, Malic acid and  $\alpha$ -Ketoglutaric acid.

Ans (C)

34. Consider the following statements regarding photosynthesis and respiration in plants and select the correct option.

I. RuBisCO has high affinity to oxygen in low CO<sub>2</sub> concentration.

II. The Calvin pathway occurs in the chloroplast of bundle sheath cells of C<sub>4</sub> plants.

III. Yeast poison themselves when the concentration of alcohol reaches 7%.

IV. Oxygen is a final hydrogen acceptor during aerobic respiration.

(A) Statements I & IV are correct, III is wrong.

(B) Statements II & IV are correct, I is wrong.

(C) Statements I & II are correct, IV is wrong.

(D) Statements I & III are correct, II is wrong.

Ans (A)

35. Match the digestive glands given in Column-I with their respective enzymes given in Column-II and choose the correct combination from the given options.

Column I		Column II		
(1)	Pancreas	(p)	Pepsin	
(2)	Gastric glands	(q)	Enterokinase	
(3)	Small intestine	(r)	Ptyalin	
(4)	Salivary glands	(s)	Trypsin	

Choose the correct option:

$$(A) (1) - (q), (2) - (s), (3) - (r), (4) - (p)$$

$$(C)(1) - (s), (2) - (p), (3) - (q), (4) - (r)$$

Ans (C)

36. Match the different types of Leucocytes (Column-I) with their percentage of occurrence (Column-II) in a healthy adult human and choose the correct answer.

	Column I	Column II		
(1)	Neutrophils	(p)	6 - 8%	
(2)	Lymphocytes	(q)	60 - 65%	
(3)	Monocytes	(r)	0.5 - 1%	
(4)	Basophils	(s)	2 - 3%	
(5)	Eosinophils	(t)	20 - 25%	

Choose the correct option:

$$(A) (1) - (q), (2) - (t), (3) - (p), (4) - (r), (5) - (s)$$

(C) 
$$(1)$$
 -  $(r)$ ,  $(2)$  -  $(s)$ ,  $(3)$  -  $(t)$ ,  $(4)$  -  $(q)$ ,  $(5)$  -  $(p)$ 

Ans (A)

37. In which part of the human brain corpora quadrigemina is located?

(A) Cerebral hemisphere

(B) Forebrain

(C) Hindbrain

(D) Midbrain

Ans (D)

- 38. A girl after attaining sexual maturity shows development of growing ovarian follicles, development of mammary glands and high pitch of voice. These changes are attributed to \_\_\_\_\_hormones.
  - (A) Androgens
- (B) Melatonin
- (C) Estrogens
- (D) Progesterone


Ans (C)

- 39. In apple, the chromosome number of gametes is 17. What is the chromosome number in its Primary Endosperm Nucleus (PEN)?
  - (A) 51

- (B) 34
- (C) 68
- (D) 17

Ans (A)

40. Identify the vegetative propagule 'M' in the following diagram:



- (A) Runner
- (B) Bulbil
- (C) Offset
- (D) Rhizome

Ans (C)

- 41. During an excavation of soil, Pollen fossils were retrieved from deepest layer of soil. The pollen grains remained as fossils because
  - (A) Pollen grains are asexual reproductive structures.
  - (B) The intine of pollen grains is made up of pectin.
  - (C) Exine has spiny Ornamentation.
  - (D) The exine of pollen grains is highly resistant to enzyme action.

Ans (D)

- 42. Identify the mismatch.
  - (A) Primary Endosperm Nucleus Triploid
- (B) Antipodals Haploid

(C) Zygote - Diploid

(D) Synergids - Diploid

Ans (D)

- 43. Identify the correct order of events in pollen-pistil interaction from the options given below:
  - I. Release of male gametes into the embryo sac.
  - II. Deposition of pollen grains on stigma.
  - III. Entry of pollen tube into embryo sac.
  - IV. Development of pollen tube
  - V. Entry of pollen tube into the ovule.

(A) 
$$V \rightarrow IV \rightarrow III \rightarrow II \rightarrow I$$

(B) IV 
$$\rightarrow$$
 III  $\rightarrow$  II  $\rightarrow$  V

(C) II 
$$\rightarrow$$
 IV  $\rightarrow$  V  $\rightarrow$  III  $\rightarrow$  I

(D) II 
$$\rightarrow$$
 IV  $\rightarrow$  III  $\rightarrow$  V $\rightarrow$  I

Ans (C)

44. Match the months listed in Column-I with the organogenesis of foetus in Column-II.

Column - I		Column - II		
(i) First month		(a)	Separation of eye lids	
(ii)	Second month	(b)	Hairs on head	
(iii)	Fifth month	(c)	Heart	
(iv)	Six month	(d)	Limbs and digits	

(a)

(i) (iv) (ii) (iii)

(c)

- (A) (c) (d) (a) (b)
- (B) (c) (d) (a) (b)
- (C) (b) (c) (d) (a) (D) (b)
- Ans (A)
- 45. When the fallopian tube is blocked at ampullary region, the ovum fails to move from
  - (A) Infundibulum to Isthmus

(B) Isthmus to infundibulum

(C) Ovary to ampulla

(d)

(D) Isthmus to Uterus

Ans (A)

- 46. Identify the cells represented as p, q, r and s in the schematic representation of Oogenesis, shown below and choose the correct option.
  - (A) p Oogonia, q Primary oocyte, r Secondary oocyte, s Ovum
  - (B) p Ovum, q Oogonia, r Primary oocyte, s Secondary oocyte
  - (C) p Secondary oocyte, q Primary oocyte, r Ovum, s Oogonia
  - (D) p Ovum, q Secondary oocyte, r Primary oocyte, s Ovum
- 2<sup>nd</sup> Polar

Ans (A)

- 47. Which of the following contraceptives could be effective in avoiding pregnancy if used within 72 hours after casual unprotected intercourse?
  - (A) Progestogen Estrogen combination
- (B) Androgen FSH combination
- (C) Testosterone Relaxin combination
- (D) Relaxin Oxytocin combination

Ans (A)

48.	<ul> <li>Choose the correct statement regarding the GIFT (Gamete Intrafallopian Tube Transfer) procedure.</li> <li>(A) Ova are collected from a female donor and are transferred to the uterus of recipient.</li> <li>(B) Ova collected from a female donor are transferred to the fallopian tube to facilitate zygote formation in the recipient.</li> <li>(C) Zygote is collected from female donor and transferred to the fallopian tube of recipient.</li> <li>(D) Zygote is collected from a female donor and transferred to the uterus of recipient.</li> <li>Ans (B)</li> </ul>				
49.	Which of the following cha (A) Leaf shape Ans (A)	racters was not studied b (B) Stem height	by Mendel in his Pea plan (C) Pod shape	t experiments? (D) Seed shape	
50.	In an Organism, mutation underlying genetic mechanic (A) Multiple allelism (C) Incomplete dominance Ans (B)			c expressions. Identify the	
51.	seeds. On selfing of F <sub>1</sub> hydnumber of F <sub>2</sub> progenies sho (A) 24	brid of his cross, 64 pro	ogenies were obtained in	plant having wrinkled green F <sub>2</sub> generation. Find out the (D) 12	
52.	Ans (A) A man with blood group groups among their progeni (A) A, B, AB, O Ans (A)		ving blood group B. Th	ne maximum possible blood (D) A, B	
53.	The length of DNA helix in (A) $6.6 \times 10^9$ bp Ans (B)	a a typical nucleosome is (B) 200 bp	(C) 1000 bp	(D) $3.2 \times 10^6$ bp	
54.	Which of the following type (A) mRNA Ans (D)	es of RNA carries amino (B) rRNA	acids towards ribosome (C) dsRNA	during translation? (D) tRNA	
55.	<ul> <li>5. In eukaryotes, the entire base sequence of a gene do not appear in mature RNA because</li> <li>(A) Some gene sequences are removed by exonuclease.</li> <li>(B) Transcription in eukaryotes consumes more energy.</li> <li>(C) Coding sequences are removed during processing.</li> <li>(D) Introns are removed during processing.</li> <li>Ans (D)</li> </ul>				
56.	Suppose DNA samples co Which of the following tech (A) DNA probing (C) Chromatography Ans (D)		•	than the required quantity. for above analysis?	

57. When Escherichia coli cells are cultured in a medium where Lactose is absent, the 'i' gene of Lac Operon continues to produce repressor mRNA, because it is (A) a structural gene. (B) a non-coding gene. (C) an operator gene. (D) a constitutive gene. Ans (D) 58. For the given sequence of DNA, identify the complementary sequence of bases on its mRNA from the options given below: DNA 3' – ATGCATGCATGC – 5' (A) 5' – GCATGCATGCAT – 3' (B) 5' - UACGUACGUACG -3' (C) 5' – TACGTACGTACG – 3' (D) 3' – UACGUACGUACG –5" Ans (B) 59. Which among the following was the biggest land dinosaur? (A) Triceratops (B) Stegosaurus (C) Tyrannosaurus rex (D) Brachiosaurus Ans (C) 60. In a population of plants, some were extremely tall and the remaining were extremely dwarf. No plants of the population showed intermediate height. The type of operation of natural selection in the above case is (A) Disruptive (B) Balancing (C) Directional (D) Stabilizing Ans (A)